

## EC Declaration of Conformity

---

**The Manufacturer:** Kronoflooring GmbH Lampertswalde, Mühlbacher Strasse 1, D-01561 Lampertswalde

**herewith declares that**

**the product:** Kronoflooring laminate flooring in thicknesses of 6 to 12 mm is in conformity with

**the requirements of:** EN 14041:2004  
when fitted in accordance with the installation instructions and the declared product use.

**Marking:** System 3 is used for certifying conformity

**Product description:** Kronoflooring DPL (direct pressed) laminate floors are floor panels as defined in EN 13329 with optional backings of a 0.1-mm SAS (Sound-Absorb-System) lining, 0.5-mm cardboard or dry felt, 1-mm PS foam mat or 0.5-mm, 1.5-mm or 1.8 mm PO foam mat (with anti-static effect).

**Properties:**

<u>Fire class:</u>	C <sub>(fl)</sub> s1
<u>Pentachlorophenol content:</u>	< 5 ppm
<u>Formaldehyde emission:</u>	E1
<u>Slip resistance:</u>	DS technical class
<u>Antistatic behaviour:</u>	Body voltage ≤ 2 kV
<u>Thermal resistance:</u>	0.12 m <sup>2</sup> K / W

**Notified bodies:**

eph  
Entwicklungs- und Prüflabor Holztechnologie GmbH  
Zellescher Weg 24  
D-01217 Dresden

MPA Dresden GmbH  
Fuchsmühlenweg 6F  
D-09599 Freiberg

**Authorised representative:** Mr M. Oberbauer  
**Position:** Managing Director

Dr. T. Frick  
Managing Director

Signature

Signature